

20/2 (B4), Teparak Rd, Bangplee Yai, Bangplee, Samutprakarn, Thailand 10540 **Tel:** 66 2757 5290 **Fax:** 66 2757 5292

email: chemicalvillage@hotmail.com website: www.chemicalvillage.com

### **CALCIUM STEARATE**

#### **Description**

Is as a flow agent in powders including some foods (such as Smarties), a surface conditioner in hard candies such as Sprees, a waterproofing agent for fabrics, a lubricant in pencils and crayons.

#### **CALCIUM STEARATE CV-A**

## **Detailed Product Description**

- 1. Non-toxic, non-polluting sulfur
- 2. Calcium stearate is used as lubricant and mold-releasing agent in thermoset plastics.

#### Name: Calcium stearate

Formula: Ca  $(C_{17}H_{35}COO)_2$ 

Technique indicator:

Name	Calcium Stearate	
Model	CV-A	
Standard	(International standard)	
Appearance	(White fine standard)	
Ca (%)	6.6±0.2	
Ash specification (%)	9~10.5	
Melting points (centigrade)	149-155	
Volatiles (%)	≤2.0	
Loss weight (%)	≤2.0	
Free fatty acid (%)	≤0.5	
Bulk density(g/cm3)	≤0.2	
Fineness (%)	≥99.9(325mesh)	
Content of	Pb≤5	
Heavy metal (ppm)	Cd≤5	



20/2 (B4), Teparak Rd, Bangplee Yai, Bangplee, Samutprakarn, Thailand 10540 **Tel:** 66 2757 5290 **Fax:** 66 2757 5292

email: chemicalvillage@hotmail.com website: www.chemicalvillage.com

## **Applications:**

- 1. Used as dispersant and lubricant for manufacturing sheet, film, hosepipe, artificial leather, etc.
- 2. It also can be used as lubricant and mold-release agent in thermoset plastics and resins reinforcing PET plastics such as bakelite and amido, etc. the bodiness agent of lubricating ester, water-proof agent of textiles, flatting agent of paint. It can also improve work ability of hard products with stabilizer.

#### **CALCIUM STEARATE CV-B**

## **Detailed Product Description**

1. Calcium stearate is used as lubricant and mold-releasing agent in thermosetting plastics, resins reinforcing PET plastics.

#### **Calcium stearate**

Formula:	Ca (C <sub>17</sub> H <sub>35</sub> COO) <sub>2</sub>
Molecular weight:	704



20/2 (B4), Teparak Rd, Bangplee Yai, Bangplee, Samutprakarn, Thailand 10540 **Tel:** 66 2757 5290 **Fax:** 66 2757 5292

email: chemicalvillage@hotmail.com website: www.chemicalvillage.com

## **Technique indicator:**

Name	Calcium Stearate
Model	CV-B
standard	
Apprearance	white fine powder
Ca(%) 6.6±0.3	
Ash specification(%)	10.5~11.0
Melting points (centigrade)	149-155
volatiles(%)	≤2.0
Loss weight (%)	≤2.0
Free fatty acid(%)	≤0.5
Bulk density(g/cm3)	0.2~0.3
Fineness(%)(200mesh)	≥99
Content of	Pb ≤5
heavy metal(ppm)	Cd ≤5
Mechanical admixture (0.1-0.6mm)	4



20/2 (B4), Teparak Rd, Bangplee Yai, Bangplee, Samutprakarn, Thailand 10540 **Tel:** 66 2757 5290 **Fax:** 66 2757 5292

email: chemicalvillage@hotmail.com website: www.chemicalvillage.com

## **Applications:**

- 1. It can improve the gelation speed in the hard product with the basic lead salt and lead soap.
- 2. It can eliminate the bad effect of residual catalyst to the resins color and stabilizer in the resins as a helogenic absorb agent.
- 3. It is a lubricant in the polyolefin fiber and the model plastic products.
- 4. It also can be used as lubricant and mold-releasing agent in thermosetting plastics and resins reinforcing PET plastics such as bakelite and amido, etc.
- 5. It can also improve work ability of hard products with stabilizer.